



DTW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
Group Art Unit 3732

In re

Patent Application of

John C. Voudouris

Application No. 10/784,313

Confirmation No.: 2149

Filed: February 20, 2004

Examiner: Cary E. O'Connor

"ORTHODONTIC BRACKET"

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

Mail Stop ISSUE FEE
Commissioner for Patents
ATTENTION: Official Draftsperson
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Notice of Drawing Inconsistency with Specification, dated March 20, 2005, please substitute sheet 23 of 56 as originally filed with the attached sheet entitled "Replacement Sheet 23 of 56". No new matter has been added. The figure "Fig. 41B" has been amended to read "Fig. 41A" as listed in the Brief Description of the Drawings in the specification.

Entry of the enclosed drawings is respectfully requested.

Respectfully submitted,

Kevin P. Moran
Reg. No. 37,193

File No. 072270-9029-00
Michael Best & Friedrich LLP
100 East Wisconsin Avenue
Suite 3300
Milwaukee, Wisconsin 53202-4108
414.271.6560